

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



1. Identification

1.1. Product identifier

Product Identity

Grease Cut

Alternate Names

55-120, Blended Formula, Grease Cut Heavy Duty Fast Drying Degreaser- 16 oz Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

It is used for removing grease from electrical and mechanical parts and engine equipment. It dissolves all oil-based grease such as tar, dirt, grime, slime, carbon, and engine deposits.

Application Method

Read all precautions and instructions carefully before and after use.

1.3. Details of the supplier of the safety data sheet

Company Name

ComStar International Inc.
20-47 128th Street,
College Point, NY 11356

Telephone No.

718-445-7900
800-328-0142
Fax: 718-353-5998

Emergency 24 HR response No: 1-800-424-9300 & 703-527-3887 CHEMTREC

Note: The CHEMTREC phone number is only for emergencies involving spills, leaks, fire, exposure or accident. Please direct all other inquiries to our customer service phone number.

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Press. Gas; H280	Contains gas under pressure; may explode if heated.
Skin Irrit. 2; H315	Causes skin irritation.
Eye Irrit. 2; H319	Causes serious eye irritation.
Muta. 2; H341	Suspected of causing genetic defects.
Carc. 1B; H350	May cause cancer.
STOT SE 3; H336	May cause drowsiness or dizziness.
Aquatic Chronic 2; H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Danger

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H411 Toxic to aquatic life with long lasting effects.

[Prevention]:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+310 If swallowed: Immediately call a poison center or doctor / physician.

P302+352 If on skin: Wash with plenty of soap and water.

P304+312 If inhaled: Call a poison center or doctor / physician if you feel unwell.

P305+351+338 If in eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P308+313 IF exposed or concerned: Get medical advice / attention.

P321 Specific treatment (see information on this label).

P331 Do not induce vomiting.

P332+313 If skin irritation occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

[Storage]:

P403+233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



P410 Protect from sunlight.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Trichloroethylene CAS#: 79-01-6	50 - 75	Carc. 1B; H350 Muta. 2; H341 Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 3; H412	
Tetrachloroethylene CAS#: 127-18-4	25 - 50	Carc. 2; H351 Aquatic Chronic 2; H411	
Carbon dioxide CAS#: 124-38-9	1.0 - 10	Press. Gas; H280 Simple Asphyxiant	
Methyl Silicylate Cas#: 119-36-8	1.0 – 1.0	Not available	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview

No specific symptom data available.
Reproductive or genetic defect hazard. See section 2 for further details.

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Inhalation	May cause drowsiness or dizziness.
Eyes	Causes serious eye irritation.
Skin	Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

All types are acceptable

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

Aerosols are under pressure. Exposure more than 120 F may cause bursting of can.

ERG Guide No. 126

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
79-01-6	Trichloroethylene	OSHA	TWA 100 ppm C 200 ppm 300 ppm (5-minute maximum peak in any 2 hours)
		ACGIH	TWA: 10 ppm STEL: 25 ppm A22A, Revised 2007,
		NIOSH	No Established Limit
		Supplier	No Established Limit
124-38-9	Carbon dioxide	OSHA	TWA 5000 ppm (9000 mg/m3)
		ACGIH	TWA: 5000 ppm Ceiling: 15000 ppm
		NIOSH	TWA 5000 ppm (9000 mg/m3) ST 30,000 ppm (54,000 mg/m3)
		Supplier	No Established Limit
127-18-4	Tetrachloroethylene	OSHA	No Established Limit
		ACGIH	TWA: 25 ppm STEL: 100 ppm 2A
		NIOSH	Ca Minimize workplace exposure concentrations
		Supplier	No Established Limit
119-36-8	Methyl Salicylate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
79-01-6	Trichloroethylene	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: Yes

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
124-38-9	Carbon dioxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
127-18-4	Tetrachloroethylene	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: Yes
		IARC	Group 1: No; Group 2a: Yes; Group 2b: No; Group 3: No; Group 4: No;
119-36-8	Methyl Salicylate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: Yes
		IARC	Group 1: No; Group 2a: Yes; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.

Eyes

Safety glasses with side shields, goggles or face shield are recommended.

Skin

Wear overalls to keep skin contact to a minimum.

Engineering Controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance

Clear Liquid

Odor

Mild perfumed

Odor threshold

Not Measured

pH

Not Measured

Melting point / freezing point

Not Measured

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Initial boiling point and boiling range	160 F (71 C)
Flash Point	None, TOC
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 135C(275F): NA Upper Explosive Limit: 199C(390F): NA
Vapor pressure (Pa)	95 psig (at 70 F)
Vapor Density	> 1 (Air = 1)
Specific Gravity	Not Measured
Solubility in Water	Negligible
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	(ASTM D 2155): NA
Decomposition temperature	Not Measured
Viscosity (cSt)	at 25C/77F: NA
Volatiles (% by weight)	NA
Octanol/Water Partition Coefficient	NA

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Oxidizing agents, alkali metals

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Trichloroethylene - (79-01-6)	4,920.00, Rat - Category: 5	20,000.00, Rabbit - Category: NA	No data available	No data available	No data available
Tetrachloroethylene - (127-18-4)	No data available	No data available	No data available	No data available	No data available
Carbon dioxide - (124-38-9)	No data available	No data available	No data available	No data available	No data available
Methyl Salicylate- (11936-8)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	2	Suspected of causing genetic defects.
Carcinogenicity	1B	May cause cancer.
Reproductive toxicity	---	Not Applicable
STOT-single exposure	3	May cause drowsiness or dizziness.
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Harmful to aquatic life.

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Aquatic Ecotoxicity

Ingredient	96 hr. LC50 fish, mg/l	48 hr. EC50 crustacea, mg/l	ErC50 algae, mg/l
Trichloroethylene - (79-01-6)	21.90, Pimephales promelas	18.00, Daphnia magna	36.50 (72 hr.), Chlamydomonas reinhardtii
Tetrachloroethylene - (127-18-4)	Not Available	Not Available	Not Available
Carbon dioxide - (124-38-9)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1950	UN1950	UN1950
14.2. UN proper shipping name	UN1950, Aerosols, non-flammable, (each not exceeding 1 Lb capacity), 2.2,	Aerosols, non-flammable, (each not exceeding 1 Lb capacity)	Aerosols, non-flammable, (each not exceeding 1 Lb capacity)
14.3. Transport hazard class(es)	DOT Hazard Class: 2.2	IMDG: 2.2 Sub Class: Not Applicable	Air Class: 2.2
14.4. Packing group	III	III	III
14.5. Environmental hazards			
IMDG	Marine Pollutant: Yes (Tetrachloroethylene)		
14.6. Special precautions for user			

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification D2A

US EPA Tier II Hazards **Fire:** No
Sudden Release of Pressure: No
Reactive: No
Immediate (Acute): Yes
Delayed (Chronic): Yes

EPCRA 311/312 Chemicals and RQs (lbs.):

Tetrachloroethylene (100.00)

Trichloroethylene (100.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Tetrachloroethylene

Trichloroethylene

Proposition 65 - Carcinogens (>0.0%):

Tetrachloroethylene

Trichloroethylene

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

Trichloroethylene

New Jersey RTK Substances (>1%):

Carbon dioxide

Tetrachloroethylene

Trichloroethylene

Methyl Salicylate

Pennsylvania RTK Substances (>1%):

Carbon dioxide

Safety Data Sheet

Grease Cut

SDS Revision Date:

03/05/2020



Tetrachloroethylene

Trichloroethylene

Methyl Salicylate

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document