

**SLIP-ON SOLDERLESS TERMINALS****Insulated Male Slip-Ons**

These male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>60219</b>	Insulated Male Slip-On, pack of 23	22-18	.250	PK	1
<b>60220</b>	Insulated Male Slip-On, pack of 23	16-14	.187	PK	1
<b>60220LX</b>	Insulated Male Slip-On, pack of 50	16-14	.187	PK	1
<b>6219</b>	Insulated Male Slip-On, pack of 22	16-14	.250	PK	1
<b>6219LX</b>	Insulated Male Slip-On, pack of 50	16-14	.250	PK	1
<b>61221LX</b>	Insulated Male Slip-On, pack of 50	12-10	.250	PK	1
<b>61221CX</b>	Insulated Male Slip-On, pack of 100	12-10	.250	PK	1

**Insulated Female Slip-Ons**

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6282</b>	Insulated Female Slip-On, pack of 22	22-18	.187	PK	1
<b>6282LX</b>	Insulated Female Slip-On, pack of 50	22-18	.187	PK	1
<b>6235</b>	Insulated Female Slip-On, pack of 22	22-18	.250	PK	1
<b>6235LX</b>	Insulated Female Slip-On, pack of 50	22-18	.250	PK	1
<b>6235CX</b>	Insulated Female Slip-On, pack of 100	22-18	.250	PK	1
<b>6281</b>	Insulated Female Slip-On, pack of 22	16-14	.187	PK	1
<b>6281LX</b>	Insulated Female Slip-On, pack of 50	16-14	.187	PK	1
<b>6218</b>	Insulated Female Slip-On, pack of 22	16-14	.250	PK	1
<b>6218LX</b>	Insulated Female Slip-On, pack of 50	16-14	.250	PK	1
<b>6218CX</b>	Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
<b>6251</b>	Insulated Female Slip-On, pack of 17	12-10	.250	PK	1
<b>6251LX</b>	Insulated Female Slip-On, pack of 50	12-10	.250	PK	1
<b>6251CX</b>	Insulated Female Slip-On, pack of 100	12-10	.250	PK	1
<b>61223LX</b>	Insulated Female Slip-On, pack of 50	12-10	.340	PK	1

**Fully Insulated Female Slip-Ons**

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon. This terminal features insulation grip. This terminal is usually supplied vinyl and has an insulation grip.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6229**</b>	Fully Insulated Female Slip-On, pack of 11	16-14	.250	PK	1
<b>6229LX**</b>	Fully Insulated Female Slip-On, pack of 50	16-14	.250	PK	1
<b>6233</b>	Fully Insulated Female Slip-On, pack of 14	16-14	.250	PK	1
<b>6233LX</b>	Fully Insulated Female Slip-On, pack of 50	16-14	.250	PK	1
<b>6233CX</b>	Fully Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
<b>61234LX</b>	Fully Insulated Female Slip-On, pack of 50	12-10	.250	PK	1

\*This terminal features insulation grip.

\*\*This terminal is usually supplied vinyl and has an insulation grip.

**Non-Insulated Male Slip-Ons**

These non insulated male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6220</b>	Non-Insulated Male Slip-On, pack of 38	16-14	.250	PK	1
<b>6220CX</b>	Non-Insulated Male Slip-On, pack of 100	16-14	.250	PK	1
<b>61220</b>	Non-Insulated Male Slip-On, pack of 37	16-14	.250	PK	1

**Non-Insulated Female Slip-Ons**

These non insulated female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available. This terminal features insulation grip.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6214</b>	Non-Insulated Female Slip-On, pack of 35	16-14	.250	PK	1
<b>6214CX</b>	Non-Insulated Female Slip-On, pack of 100	16-14	.250	PK	1
<b>60251</b>	Non-Insulated Female Slip-On, pack of 26	12-10	.250	PK	1
<b>60251CX</b>	Non-Insulated Female Slip-On, pack of 100	12-10	.250	PK	1

\*This terminal features insulation grip.

**Fully Insulated Male Slip-Ons**

These male terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip ons are fully insulated in either vinyl or nylon.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6234</b>	Fully Insulated Male Slip-On, pack of 14	16-14	.250	PK	1
<b>6234LX</b>	Fully Insulated Male Slip-On, pack of 50	16-14	.250	PK	1
<b>61235LX</b>	Fully Insulated Male Slip-On, pack of 50	12-10	.250	PK	1

**Non-Insulated Flag Female Slip-Ons**

These non insulated female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available. Part 6213 features insulation grip.



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>6213</b>	Non-Insulated Flag Female Slip-On, pack of 34	16-14	.250	PK	1
<b>6213CX</b>	Non-Insulated Flag Female Slip-On, pack of 100	16-14	.250	PK	1
<b>6224</b>	Non-Insulated Flag Female Slip-On, pack of 20	12-10	.250	PK	1
<b>6224CX</b>	Non-Insulated Flag Female Slip-On, pack of 100	12-10	.250	PK	1

## SLIP-ON SOLDERLESS TERMINALS cont'd

### Fully Insulated Flag Female Slip-Ons

These female terminals crimp to the wires which relieves the need to solder. A variety of sizes are available and the slip-ons are fully insulated in either vinyl or nylon.



6277

CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
6277	Fully Insulated Flag Female Slip-On, pack of 9	16-14	.250	PK	1
6277NX	Fully Insulated Flag Female Slip-On, pack of 25	16-14	.250	PK	1

### Combination Pack: Set of 6233 and 6234

Our Combination pack holds both a Fully Insulated Male and Female Slip On.



61233LX

CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
61233LX	Set of Fully Insulated M/F Slip-Ons, pack of 25 pairs	16-14	.250	PK	1

### Flag Female Compressor Terminal Kit

Parts 6258, 6271, 6259, 6273, 6270 in a four compartment, clear plastic box. Parts 6270 and 6273 are put in the same compartment.



6200HX

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6200HX	Flag Female Compressor Terminal Kit	EA	1

### Flag Female Compressor Terminals

Also known as hermetic header terminals, these non-insulated terminals are designed with a larger distance between the "rolls" to allow for the rod in hermetic header applications. The increased distance allows the rod to slip in between them. Parts 6258 and 6259 are notched for bending. The notches are cut between the slip-on portion and the conductor barrel and enable the back of the slip-on portion to be folded against the conductor barrel after the wire connection is made. This terminal features insulation grip.



6270

6258

CATALOG NO.	DESCRIPTION	WIRE RANGE	FITS	UOM	ORDER MULTIPLE
6270	Flag Female Compressor Terminal, pack of 9	12-8	.250 tab	PK	1
6270LX	Flag Female Compressor Terminal, pack of 50	12-8	.250 tab	PK	1
6258*	Flag Female Compressor Terminal, pack of 17	16-14	.250 tab	PK	1
6258CX*	Flag Female Compressor Terminal, pack of 100	16-14	.250 tab	PK	1
6259	Flag Female Compressor Terminal, pack of 14	12-10	.250 tab	PK	1
6259CX	Flag Female Compressor Terminal, pack of 100	12-10	.250 tab	PK	1

\* This terminal features insulation grip.

### Compressor Lead Kit

Our Compressor Lead kit includes the following products: a flag female compressor terminal (.250 tab; part 62589), a waterproof butt connector (12 10 wire range; part 62231), and a piece of 10 gauge wire.



60259HX

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
60259HX	Compressor Lead Kit with 12" wire	EA	1

## SPECIAL PURPOSE SOLDERLESS TERMINALS

### Insulated Plugs

These insulated terminals crimp to the wires which relieves the need to solder.



6283

CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6283	Insulated Plugs, pack of 17	22-18	PK	1
6283LX	Insulated Plugs, pack of 50	22-18	PK	1
6285	Insulated Plugs, pack of 17	16-14	PK	1
6285LX	Insulated Plugs, pack of 50	16-14	PK	1

### Combination Packs

These insulated terminals crimp to the wires which relieves the need to solder.



6288

CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
6288	Combination Pack with parts 6283 and 6284, pack of 7 pairs	PK	1
6288LX	Combination Pack with parts 6283 and 6284, pack of 25 pairs	PK	1
6289	Combination Pack with parts 6285 and 6286, pack of 7 pairs	PK	1
6289LX	Combination Pack with parts 6285 and 6286, pack of 25 pairs	PK	1

### Fully Insulated Receptacles

These insulated terminals crimp to the wires which relieves the need to solder.



6286

CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
6286	Fully Insulated Receptacles, pack of 12	16-14	PK	1

**SPECIAL PURPOSE SOLDERLESS TERMINALS cont'd****Tab Adapters – Quick Disconnect with Screw**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
<b>6209</b>	Fits .250 Tab, #6-32 x 1/4" Screw, pack of 5	PK	1
<b>6209LX</b>	Fits .250 Tab, #6-32 x 1/4" Screw, pack of 50	PK	1

**Tab Adapters – Single Female Double Male Tabs**

These insulated terminals crimp to the wires which relieves the need to solder. .250 male, .250 female.



CATALOG NO.	DESCRIPTION	TAB SIZE	UOM	ORDER MULTIPLE
<b>6208</b>	Tab Adapter; 1 female, 2 male; Bent 90°, pack of 12	.250	PK	1
<b>6208LX</b>	Tab Adapter; 1 female, 2 male; Bent 90°, pack of 50	.250	PK	1
<b>6211</b>	Tab Adapter; 1 female, 2 male; Wye, pack of 27	.250	PK	1
<b>6211CX</b>	Tab Adapter; 1 female, 2 male; Wye, pack of 100	.250	PK	1
<b>6212</b>	Tab Adapter; 1 female, 2 male; Stacked, pack of 16	.250	PK	1
<b>6212CX</b>	Tab Adapter; 1 female, 2 male; Stacked, pack of 100	.250	PK	1

**Tap Connectors**

These insulated terminals crimp to the wires which relieves the need to solder. Designed to make tap splices.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
<b>6241</b>	Tap Splice – blue, pack of 15	16-14	PK	1

**Tab Adapters – Piggy Back Slip-Ons**

These insulated terminals crimp to the wires which relieves the need to solder. Multi-stack, .250 male tab, .250 female slip-on.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
<b>6210</b>	Non-Insulated Piggy Back Slip-Ons, pack of 20	16-14	PK	1
<b>6210LX</b>	Insulated Piggy Back Slip-Ons, pack of 11	16-14	PK	1
<b>6210LX</b>	Insulated Piggy Back Slip-Ons, pack of 50	16-14	PK	1
<b>6210CX</b>	Insulated Piggy Back Slip-Ons, pack of 100	16-14	PK	1

**Tab Adapters – Male Tabs**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	TAB SIZE	STUD	UOM	ORDER MULTIPLE
<b>6230</b>	Male Tabs – Straight, pack of 28	.250	#8	PK	1
<b>6230CX</b>	Male Tabs – Straight, pack of 100	.250	#8	PK	1

**Fully Insulated Dead End Connectors**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
<b>6222</b>	Fully Insulated Dead End Connectors, pack of 27	22-14	PK	1
<b>6222LX</b>	Fully Insulated Dead End Connectors, pack of 50	22-14	PK	1
<b>6223</b>	Fully Insulated Dead End Connectors, pack of 21	18-10	PK	1
<b>6223LX</b>	Fully Insulated Dead End Connectors, pack of 50	18-10	PK	1

**STANDARD SOLDERLESS TERMINALS****Insulated Hooks**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>6242</b>	Insulated Hooks, pack of 22	22-18	#8	PK	1
<b>6242LX</b>	Insulated Hooks, pack of 50	22-18	#8	PK	1
<b>6244</b>	Insulated Hooks, pack of 20	16-14	#8	PK	1
<b>6244LX</b>	Insulated Hooks, pack of 50	16-14	#8	PK	1

**Insulated Butt Connectors**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
<b>6232</b>	Insulated Butt Connector, pack of 26	22-18	PK	1
<b>6232LX</b>	Insulated Butt Connector, pack of 50	22-18	PK	1
<b>6232CX</b>	Insulated Butt Connector, pack of 100	22-18	PK	1
<b>6217</b>	Insulated Butt Connector, pack of 27	16-14	PK	1
<b>6217LX</b>	Insulated Butt Connector, pack of 50	16-14	PK	1
<b>6217CX</b>	Insulated Butt Connector, pack of 100	16-14	PK	1
<b>6231</b>	Insulated Butt Connector, pack of 16	12-10	PK	1
<b>6231LX</b>	Insulated Butt Connector, pack of 50	12-10	PK	1
<b>6231CX</b>	Insulated Butt Connector, pack of 100	12-10	PK	1
<b>6287</b>	Insulated Butt Connector, pack of 5	22-18	PK	1
<b>6287XX</b>	Insulated Butt Connector, pack of 10	8	PK	1
<b>6287NX</b>	Insulated Butt Connector, pack of 25	8	PK	1
<b>6287CX</b>	Insulated Butt Connector, pack of 100	8	PK	1

**STANDARD SOLDERLESS TERMINALS cont'd**

**Butt Connector Assortment Kit**

This Assortment is a perfect addition to the HVAC kit. It includes an Insulated Butt Connector, a Non Insulated Butt Connector, and a Nylon Insulated Butt Connector. Includes parts 6217, 6231, and 6232.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
<b>6200BSX</b>	Butt Connector Assortment Kit	EA	1

**Insulated Spades**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>61214</b>	Insulated Spades, pack of 23	22-18	#6	PK	1
<b>6237</b>	Insulated Spades, pack of 22	22-18	#8	PK	1
<b>6237LX</b>	Insulated Spades, pack of 50	22-18	#8	PK	1
<b>61256LX</b>	Insulated Spades, pack of 50	22-18	#10	PK	1
<b>6274</b>	Insulated Spades, pack of 22	16-14	#6	PK	1
<b>6274LX</b>	Insulated Spades, pack of 50	16-14	#6	PK	1
<b>6227</b>	Insulated Spades, pack of 22	16-14	#8	PK	1
<b>6227LX</b>	Insulated Spades, pack of 50	16-14	#8	PK	1
<b>6228</b>	Insulated Spades, pack of 22	16-14	#10	PK	1
<b>6228LX</b>	Insulated Spades, pack of 50	16-14	#10	PK	1
<b>60254</b>	Insulated Spades, pack of 18	12-10	#8	PK	1
<b>60254LX</b>	Insulated Spades, pack of 50	12-10	#8	PK	1
<b>60254CX</b>	Insulated Spades, pack of 100	12-10	#8	PK	1
<b>6255</b>	Insulated Spades, pack of 17	12-10	#10	PK	1
<b>6255LX</b>	Insulated Spades, pack of 50	12-10	#10	PK	1
<b>6255CX</b>	Insulated Spades, pack of 100	12-10	#10	PK	1

**Insulated Flange Spades**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>61255</b>	Insulated Flange Spades, pack of 16	12-10	#10	PK	1
<b>61255LX</b>	Insulated Flange Spades, pack of 50	12-10	#10	PK	1

**Non-Insulated Rings**

These non insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>60206</b>	Non-Insulated Rings, pack of 25	22-18	#10	PK	1
<b>6215</b>	Non-Insulated Rings, pack of 27	16-14	#8	PK	1
<b>60205</b>	Non-Insulated Rings, pack of 21	16-14	1/4"	PK	1
<b>60205CX</b>	Non-Insulated Rings, pack of 100	16-14	1/4"	PK	1

**Non-Insulated Spades**

These non insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>6226</b>	Non-Insulated Spades, pack of 23	16-14	#10	PK	1
<b>6226CX</b>	Non-Insulated Spades, pack of 100	16-14	#10	PK	1

**Insulated Spring Spades**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>6238</b>	Insulated Spring Spades, pack of 22	22-18	#8	PK	1
<b>6238LX</b>	Insulated Spring Spades, pack of 50	22-18	#8	PK	1
<b>6276</b>	Insulated Spring Spades, pack of 21	16-14	#6	PK	1
<b>6276LX</b>	Insulated Spring Spades, pack of 50	16-14	#6	PK	1
<b>6239</b>	Insulated Spring Spades, pack of 22	16-14	#8	PK	1
<b>6239LX</b>	Insulated Spring Spades, pack of 50	16-14	#8	PK	1
<b>60256</b>	Insulated Spring Spades, pack of 17	12-10	#8	PK	1
<b>60256CX</b>	Insulated Spring Spades, pack of 100	12-10	#8	PK	1

**Insulated Rings**

These insulated terminals crimp to the wires which relieves the need to solder.



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>61202</b>	Insulated Rings, pack of 22	22-18	#6	PK	1
<b>6236LX</b>	Insulated Rings, pack of 50	22-18	#8	PK	1
<b>6272</b>	Insulated Rings, pack of 22	16-14	#6	PK	1
<b>6216</b>	Insulated Rings, pack of 23	16-14	#10	PK	1
<b>6216LX</b>	Insulated Rings, pack of 50	16-14	#10	PK	1
<b>6216CX</b>	Insulated Rings, pack of 100	16-14	#10	PK	1
<b>60247</b>	Insulated Rings, pack of 17	12-10	#6	PK	1
<b>60252CX</b>	Insulated Rings, pack of 100	12-10	#8	PK	1
<b>6252</b>	Insulated Rings, pack of 17	12-10	#10	PK	1
<b>6252LX</b>	Insulated Rings, pack of 50	12-10	#10	PK	1
<b>6253LX</b>	Insulated Rings, pack of 50	12-10	1/4"	PK	1
<b>6253CX</b>	Insulated Rings, pack of 100	12-10	1/4"	PK	1
<b>6257</b>	Insulated Rings, pack of 6	8	1/4"	PK	1
<b>6257NX</b>	Insulated Rings, pack of 25	8	1/4"	PK	1
<b>61252</b>	Insulated Rings, pack of 5	6	5/16"	PK	1
<b>61252NX</b>	Insulated Rings, pack of 25	6	5/16"	PK	1

**HIGH TEMPERATURE SOLDERLESS TERMINALS****High Temperature Male Slip-Ons**

The High Temperature Male Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>4220</b>	High Temp. Male Slip-Ons, pack of 21	16-14	.250	PK	1
<b>4220CX</b>	High Temp. Male Slip-Ons, pack of 100	16-14	.250	PK	1
<b>4219</b>	High Temp. Male Slip-Ons, pack of 21	12-10	.250	PK	1

**High Temperature Flag Female Slip-Ons**

The High Temperature Flag Female Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>4213</b>	High Temp. Flag Female Slip-Ons, pack of 16	16-14	.250	PK	1
<b>4213CX</b>	High Temp. Flag Female Slip-Ons, pack of 100	16-14	.250	PK	1
<b>4224</b>	High Temp. Flag Female Slip-Ons, pack of 11	12-10	.250	PK	1
<b>4224NX</b>	High Temp. Flag Female Slip-Ons, pack of 25	12-10	.250	PK	1
<b>4224CX</b>	High Temp. Flag Female Slip-Ons, pack of 100	12-10	.250	PK	1

**High Temperature Rings**

The High Temperature Rings are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>4215</b>	High Temp. Rings, pack of 21	16-14	#10	PK	1
<b>4215CX</b>	High Temp. Rings, pack of 100	16-14	#10	PK	1
<b>4205CX</b>	High Temp. Rings, pack of 100	16-14	1/4"	PK	1
<b>4252</b>	High Temp. Rings, pack of 14	12-10	#10	PK	1
<b>4252CX</b>	High Temp. Rings, pack of 100	12-10	#10	PK	1
<b>4253</b>	High Temp. Rings, pack of 14	12-10	1/4"	PK	1
<b>4253CX</b>	High Temp. Rings, pack of 100	12-10	1/4"	PK	1

**High Temperature Female Slip-Ons**

The High Temperature Female Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	TAB SIZE	UOM	ORDER MULTIPLE
<b>4221</b>	High Temp. Female Slip-Ons, pack of 20	16-14	.187	PK	1
<b>4221CX</b>	High Temp. Female Slip-Ons, pack of 100	16-14	.187	PK	1
<b>4214</b>	High Temp. Female Slip-Ons, pack of 21	16-14	.250	PK	1
<b>4214CX</b>	High Temp. Female Slip-Ons, pack of 100	16-14	.250	PK	1
<b>4204</b>	High Temp. Female Slip-Ons, pack of 17	12-10	.250	PK	1
<b>4204CX</b>	High Temp. Female Slip-Ons, pack of 100	12-10	.250	PK	1

**High Temperature Spades**

The High Temperature Spades Slip Ons are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	STUD	UOM	ORDER MULTIPLE
<b>4226</b>	High Temp. Spades, pack of 23	16-14	#10	PK	1
<b>4226CX</b>	High Temp. Spades, pack of 100	16-14	#10	PK	1
<b>4254CX</b>	High Temp. Spades, pack of 100	12-10	#10	PK	1

**High Temperature Butt Connectors**

The High Temperature Butt Connectors are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C).



CATALOG NO.	DESCRIPTION	WIRE RANGE	UOM	ORDER MULTIPLE
<b>4231</b>	High Temp. Butt Connectors, pack of 17	12-10	PK	1

**High Temperature Assortment**

The High Temperature Assortment Pack holds terminals that are constructed of nickel plated steel. These non insulated terminals are rated at 900 degree F (482 degree C). Includes parts 4213, 4215, and 4204, and 4254.



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
<b>4200AX</b>	High Temp. Assortment	EA	1



## DEVCO TERMINAL KITS

CATALOG NO.	DESCRIPTION	TERMINALS															
	<b>NOTE:</b> Some kits have parts not shown in chart. Please refer to the DESCRIPTION for these parts. Except where noted, kits come in clear plastic boxes.			<b>HIGH TEMP</b>													
<b>6200HX</b>	<b>Flag Female Compressor Terminal Kit:</b> 8-18 wire range in a 4-compartment box with parts 6270 and 6273 in the same compartment.											6258	6259	6270 6271 6273			
<b>6200MX</b> <b>6200MSX*</b>	.187, .250 tabs; 12-10 wire range; #8, #10 studs in a 13-compartment polypropylene box.	6217 6231 6232	6218 6235 6251 6281		6216 6252				6213				6259			6211	
<b>6201MX</b>	.187, .250 tabs; 22-10 wire range; #8, #10 studs in a 21-compartment metal box. (Includes parts 6233, 6234, and 6277, not shown in chart).	6217 6231 6232	6218 6235 6251 6281 6282		6216 6236 6252	6228	6238 6239		6224		6258	6259				6211	
<b>6202MX</b>	<b>Insulated Terminal Kit:</b> .187, .250 tabs; 22-10 wire range; #8, #10, #6, 1/4" studs in an 18-compartment box. Parts 6233 & 6234, and parts 6222 & 6223 are pairs (not shown in chart).	6217 6231 6232	6218 6235 6251 6281 6282		6216 6252 6253 6272 60246	60254	6238 6239										
<b>6203MX</b>	<b>Non-Insulated Terminal Kit:</b> Includes High Temp. Terminals and Flag Female Compressor Terminals. .250 tab; 22-10 wire range; #8, #10 studs in an 18-compartment box. (Includes parts 6209 and 6210, not shown in chart).		4204 4213 4214 4215 4252 4254					6214	6213	6224		6258	6259	6270 6271	6230	6208	6211
<b>4200AX</b>	<b>High Temperature Terminal Kit:</b> .250 tab; 16-10 wire; #10 stud in a bag.		4204 4213 4215 4254														
<b>6200X</b>	.250 tab; 16-14 wire; #8 stud in a 6-compartment box.	6217						6214	6213		6215				6230		6211
<b>6200AX</b>	.250 tab; 16-14 wire range; #8, #10 studs in a 6-compartment box.	6217	6218		6216				6213						6230		6211
<b>6200BX</b>	.250 tab; 16-14 wire; #8 stud in a 4-compartment box.							6214	6213		6215						6211
<b>6200BSX</b>	22-10 wire range in a bag.	6217 6231 6232															
<b>6200CX</b>	.250 tab; 16-14 wire; #10 stud in a 4-compartment box.		6218		6216				6213								6211
<b>6200DX</b>	.250 tab; 12-10 wire range; #8, #10 studs in a 6-compartment box.	6231	6251		6252					6224					6230		6211

\*Contains a crimper.



## ANCHORS

## Metal Drive Anchors

The anchors offer a Quick and Easy Solution for Light Duty Anchoring Jobs in Concrete and Masonry and Easy through type fastening, even when used in bottomless holes

7236RLX



CATALOG NO.	DESCRIPTION	SIZE	EMBEDMENT	PULLOUT LOAD	UOM	ORDER MULTIPLE
7233RLX	Drive Anchor, pack of 50	1/4" X 3/4"	5/8"	500 lb.	PK	1
7234RLX	Drive Anchor, pack of 50	1/4" X 1"	7/8"	944 lb.	PK	1
7235RLX	Drive Anchor, pack of 50	1/4" X 1-1/4"	1-1/8"	1,146 lb.	PK	1
7236RLX	Drive Anchor, pack of 50	1/4" X 1-1/2"	1-3/8"	854 lb.	PK	1

## Drop-In Expansion Anchor Setting Tool

This tool is great for use while setting an anchor.

7146



CATALOG NO.	DESCRIPTION	UOM	ORDER MULTIPLE
7146	For use with anchor part number 7142	EA	1

## Self-Drilling Gypsum Wallboard Anchors

These anchors pre drill precise holes in gypsum wallboard with no special tools required. The anchors are easily installed with a #2 or #3 Phillips screwdriver, slotted driver, or power driver. Plastic plugs toggles and toggles are easily replaced with the deep threaded products. There is a full range to cover all wall fastening applications and are available in corrosion resistant and non conductive white nylon. The product has a low profile head and can easily be backed out. They provide and strong engagement in 3/4in., 1/2in., and 5/8in. gypsum wallboard and are supplied with combo head screws.

7321X



CATALOG NO.	DESCRIPTION	SCREW SIZE	MAX. FIXTURE	UOM	ORDER MULTIPLE
7316X	E-Z Ancor®; nylon, pack of 10	#8 x 1-1/4"	3/4"	PK	1
7316L	E-Z Ancor®; nylon, pack of 50	#8 x 1-1/4"	3/4"	PK	1
7311L	E-Z Ancor®; zinc die cast*, pack of 50	#6 x 1-1/4"	3/4"	PK	1
7317X	E-Z Ancor Lite™; nylon, pack of 10	#6 x 1-1/4"	3/4"	PK	1
7317L	E-Z Ancor Lite™; nylon, pack of 50	#6 x 1-1/4"	3/4"	PK	1
7321X	E-Z Toggle™; zinc die cast; heavy-duty, pack of 10	#8 x 2-1/8"	5/8"	PK	1

\*Smaller version of the E-Z Ancor® with a versatile core that can use #6 or #8 sheet metal screws or #6, #7, #8 drywall screws.

## Drive Fasteners

These steel fasteners can be driven into dry wall like a nail and are secured by turning the screw down completely to expand the ribs.

7303



CATALOG NO.	DESCRIPTION	HOLE SIZE	GRIP RANGE	UOM	ORDER MULTIPLE
7301	Drive Fastener, pack of 6	1/4"	3/16" to 3/8"	PK	1
7302	Drive Fastener, pack of 6	1/4"	1/8" to 1/2"	PK	1
7303	Drive Fastener, pack of 6	1/4"	1/8" to 3/16"	PK	1

## Drop-In Expansion Anchors

These heavy duty anchors are made of carbon steel. They are set by means of an internal plug and setting tool.

7142



CATALOG NO.	DESCRIPTION	BOLT SIZE	THREADS PER INCH	HOLE DEPTH	THREAD DEPTH	DRILL BIT SIZE	UOM	ORDER MULTIPLE
7142	Anchor, pack of 4	3/8"	18	1-5/8"	1/2"	1/2"	PK	1
7142LX	Anchor, pack of 50	3/8"	18	1-5/8"	1/2"	1/2"	PK	1