

DEFINITE PURPOSE CONTACTORS




- Silver Cadmium Oxide Contacts
- Ranges: 20-90 FLA
- Poles: 1.5, 2 & 3
- Coil Voltages: 24, 120 & 240 VAC
- Terminations: Box Lug
- Temperature Range: -40°F to 150°F (-40°C to 65°C)
- UL® & CSA® Approved


1.5 Pole Part No.	Full Load Amps	Coil Voltage
DP25241	25	24
DP251201	25	120
DP252401	25	240
DP30241	30	24
DP301201	30	120
DP302401	30	240

2 Pole Part No.	Full Load Amps	Coil Voltage
DP20242	20	24
DP201202	20	120
DP202402	20	240
DP25242	25	24
DP251202	25	120
DP252402	25	240
DP30242	30	24
DP301202	30	120
DP302402	30	240
DP40242	40	24
DP401202	40	120
DP402402	40	240

3 Pole Part No.	Full Load Amps	Coil Voltage
DP25243	25	24
DP251203	25	120
DP252403	25	240
DP254803	25	480
DP30243	30	24
DP301203	30	120
DP302403	30	240
DP304803	30	480
DP40243	40	24
DP401203	40	120
DP402403	40	240
DP404803	40	480
DP50243	50	24
DP501203	50	120
DP502403	50	240
DP60243	60	24
DP601203	60	120
DP602403	60	240
DP75243	75	24
DP751203	75	120
DP752403	75	240
DP90243	90	24
DP901203	90	120
DP902403	90	240




AUXILIARY SWITCH CONTACTORS



Used to add additional load switching capability for other low load accessories that need to be controlled with the start/stop sequence of the equipment

Part No.	Contactor	Current	Switch Action
DPAUX1	25A to 40A	10A at 300VAC	SPDT (1)
DPAUX2	25A to 40A	10A at 300 VAC	SPDT (2)
DPAUX3	25A to 40A	10A at 600VAC	(1)SPNO, (1) SPNC
DPAUX4	25A to 40A	10A at 600VAC	SPNO (2)
DPAUX5	50A to 60A	10A at 300VAC	SPDT (1)
DPAUX6	75A to 90A	10A at 300VAC	SPDT (2)

SMC11 2 POLE MAGNETIC LINE CONTACTOR



- Non-Positional
- Replaces Mars® 18001 (exact) and Honeywell® R850B1146, Packard® C18001
- Includes 4 Terminals and 4 Screws
- UL® File Number E328772

Specifications	
Contacts	DPST
Coil Voltage	24 VAC
Full Load Amps	30 Amps
Locked Rotor Amps	120
Resistive Load Amps	30
Frequency	50/60 Hz



## CONTACTORS' CROSS REFERENCE

SUPCO® Part No.	GE®	API®	Arrow Hart®	Cutler Hammer®	Diversitech®	Elmwood®	Furnas®	GE®	Global Cutler Hammer®	
DP25241	CR453CB3HAA	***	C251NU10	C25CNB125T	***	***	45DG10AJD8A	CR353CB3AH1	***	4140
DP251201	CR453CB3AAA	***	C251NU20	C25CNB125A	***	***	45DG10AFD8A	CR353CB3AA1	***	4141
DP252401	CR453CB3BAA	***	C251NU30	C25CNB125B	***	***	45DG10AGA	CR353CB3AB1	***	4142
DP30241	CR453CC3HAA	***	C301NU10	C25CNB130T	***	***	45EG10AJA	CR353CD3AH1	***	4143
DP301201	CR453CC3AAA	***	C301NU20	C25CNB130A	***	***	45EG10AJA	CR353CD3AA1	***	4144
DP302401	CR453CC3BAA	***	C301NU30	C25CNB130B	***	***	45EG10AGA	CR353CD3AB1	***	4145
DP20242	CR453CA2HAA	***	C202U10	C25BNB220T	***	30BO20	45CG20AJ	CR353CA2AH1	***	4101
DP201202	CR453CA2AAA	***	C202U20	C25BNB220A	***	30BO-20	45CG20AF	CR353CA2AA1	***	4102
DP202402	CR453CA2BAA	***	C202U30	C25BNB220B	***	***	45CG20AG	Same	***	4103
DP25242	CR453CB2HAA	***	C252U10	C25BNB225T	DP25224	30CO-20	45DG20AJ	CR353CB2AH1	***	4104
DP251202	CR453CB2AAA	***	C252U20	C25BNB225A	DP252120	30CO-20	45DG20AF	CR353CB2AA1	***	4105
DP252402	CR453CB2BAA	***	C252U30	C25BNB225B	DP252240	30CO-20	45DG20AG	CR353CB2AB1	***	4106
DP30242	CR453CC2HAA	SA253024V	C302U10	C25BNB230T	DP30224	30EO-20	45EG20AJ	CR353AC2AH1	***	4107
DP301202	CR453CC2AAA	SA2530120V	C302U20	C25BNB230A	DP302120	30EO-20	45EG20AF	CR353AC2AA1	***	4108
DP302402	CR453CC2BAA	SA2530240V	C302U30	C25BNB230B	DP302240	30EO-20	45EG20AG	CR353AC2AB1	***	4109
DP40242	CR453CE2HBB	SA2M4024V	ACC420U10	C25DNF240T	DP40224	30FO-20	45GG20AJ	CR353AD2BH1	***	4161
DP401202	CR453CE2ABB	SA2M40120V	ACC420U20	C25DNF240A	DP402120	30FO-20	45GG20AF	CR353AD2BA1	***	4162
DP402402	CR453CE2BBB	SA2M4024V	ACC420U30	C25DNF240B	DP402240	30FO-20	45GG20AG	CR353AD2BB1	***	4163
DP25243	CR453AB3HAA	***	ACC220U10	C25DND325T	***	30DO-30	42AF35AJ	CR353AB3AH1	DP2530	4110
DP251203	CR453AB3AAA	***	ACC220U20	C25DND325A	***	30DO-30	42AF35AF	CR353AB3AA1	DP2531	4111
DP252403	CR453AB3BAA	***	ACC220U30	C25DND325B	***	30DO-30	42AF35AG	CR353AB3AB1	DP2532	4112
DP30243	CR453AC3HAA	SA353024V	ACC330U10	C25DND330T	DP30324	30EO-30	42BF35AJ	CR353AC3AH1	DP3030	4113
DP301203	CR453AC3AAA	SA3530120V	ACC330U20	C25DND330A	DP303120	30EO-30	42BF35AF	CR353AC3AA1	DP3031	4114
DP302403	CR453AC3BAA	SA3530240V	ACC330U30	C25DND330B	DP303240	30EO-30	42BF35AG	CR353AC3AB1	DP3032	4115
DP40243	CR453AD3HBB	SA3M4024V	ACC430U10	C25DNF340T	DP40324	30FO-30	42CF35AJ	CR353AD3BH1	DP4030	4116
DP401203	CR453AD3ABB	SA3M40120V	ACC430U20	C25DNF340A	DP403120	30FO-30	42CF35AF	CR353AD3BA1	DP4031	4117
DP402403	CR453AD3BBB	SA3M40240V	ACC430U30	C25DNF340B	DP403240	30FO-30	42CF35AG	CR353AD3BB1	DP4032	4118
DP50243	CR353FE3BH1	SA3G5024V	ACC530U10	C25FNF350T	DP50324	30GO-30	42DF35AJ	CR353FE3BH1	DP5030	4128
DP501203	CR353FE3BA1	SA3G50120V	ACC530U20	C25FNF350A	DP503120	30GO-30	42DF35AF	CR353FE3BA1	DP5031	4129
DP502403	CR353FE3BB1	SA3G50240V	ACC530U30	C25FNF350B	DP503240	30GO-30	42DF35AG	CR353FE3BB1	DP5032	4130
DP60243	CR353FF3BH1	SA3A6024V	ACC530U10	C25FNF360T	DP60324	30HO-30	42EF35AJ	CR353FF3BH1	DP6030	4131
DP601203	CR353FF3BA1	SA3A60120V	ACC530U20	C25FNF360A	DP603120	30HO-30	42EF35AF	CR353FF3BA1	DP6031	4132
DP602403	CR353FF3BB1	SA3A60240V	ACC530U30	C25FNF360B	DP603240	30HO-30	42EF35AG	CR353FF3BB1	DP6032	4133
DP75243	CR353EG3BH1	***	ACC730U10	C25FNF375T	DP75324	***	42FE35AJ	CR353EG3BH1	***	4134
DP751203	CR353EG3BA1	***	ACC730U20	C25FNF375A	DP753120	***	42FE35AF	CR353EG3BA1	DP7531	4135
DP752403	CR353EG3BB1	***	ACC730U30	C25FNF375B	DP753240	***	42FE35AG	CR353EG3BB1	DP7532	4136
DP90243	CR353EH3BH1	***	***	C25GNF390T	DP90324	***	42GE35AJ	CR353EH3BH1	***	4137
DP901203	CR353EH3BA1	***	ACC930U20	C25GNF390A	DP903120	***	42GE35AF	CR353EH3BA1	DP9031	4138
DP902403	CR353EH3BB1	***	ACC930U30	C25GNF390B	DP903240	***	42GE35AG	CR353EH3BB1	DP9032	4139

References to original equipment manufacturers' names, models, trademarks and part numbers are used for identification purposes only and SUPCO® replacement products are not in any way affiliated, endorsed or sponsored by such original equipment manufacturers.

## CONTACTORS' CROSS REFERENCE

SUPCO® Part No.	Honeywell®	Honeywell®	Joslyn Clark®	Ma Line Power Pro®	Mars Economy®	Packard®/ Fasco®	Products Unlimited®	RBM® / Essex®	Square D®	STEVECO®
DP25241	DP1025A5005	***	A77306654A3	***	***	1S25A	310015Q01XXXA	***	8910DP21	94385
DP251201	DP1025B5046	***	A77306654A1	***	***	1S25B	310015T01XXXA	***	***	94386
DP252401	DP1025C5045	***	A77306654A2	***	***	1S25C	310015U01XXXA	***	***	94387
DP30241	DP1030A5013	***	A77306653A3	***	13067/13101	1S30A	310015Q02XXXA	***	8910DP12	94388
DP301201	DP1030B5020	***	A77306653A1	***	13068	1S30B	310015T02XXXA	***	***	94389
DP302401	DP1030C5029	***	A7730665312	***	13069	1S30C	310015U02XXXA	***	***	94390
DP20242	DP2020A5021	***	A77306680A3	***	13071	2S20A	310020Q03XXXA	143-1	DP12V14	90234
DP201202	DP2020B5038	***	A77306680A1	***	13072	2S20B	310020T03XXXA	143-1	DP12VO2	90235
DP202402	DP2020C5037	***	A77306680A2	***	13073	2S20C	310020U03XXXA	***	***	90236
DP25242	***	***	A77306660A3	***	13077	***	***	143-6	DP22V14	***
DP251202	***	***	A77306660A1	***	13078	***	***	143-6	DP22VO2	***
DP252402	***	***	A77306660A2	***	13079	***	***	143-6	DP22VO9	***
DP30242	DP2030A5004	DP2030A1003	A77306657A3	8910DP32V14	14321/13104	C2S30A	310020Q06XXXA	143-7	DP32V14	90244
DP301202	DP2030B5003	DP2030B1002	A77306657A1	***	14322	C2S30B	310020T06XXXA	143-7	DP32VO2	90245
DP302402	DP2030C5002	DP2030C1001	A77306657A2	***	14323	C2S30C	310020U06XXXA	143-7	DP32VO9	90246
DP40242	DP2040A5003	***	A77309045A3	8910DP42V14	14421	C2S40A	310020Q18XXXA	154-4	DPA42V14	***
DP401202	DP2040B5002	***	A77309045A1	***	14422	C2S40B	310020T18XXXA	154-4	DPA42VO2	***
DP402402	DP2040C5001	***	A77309045A2	***	14423	C2S40C	310020U18XXXA	154-4	DPA42VO9	***
DP25243	DP3025A5003	DP3025A1002	A77309040A3	***	13001	3M25A	310030Q8XXXAH	154-2	8910DPA23	90160
DP251203	DP3025B5002	DP3025B1001	A77309040A1	***	13002	3M25B	310030T8XXXAH	154-2	DPA23VO2	90161
DP252403	DP3025C5001	DP3025C1000	A77309040A2	***	13003	3M25C	310030U8XXXAH	154-2	DPA23VO9	90162
DP30243	DP3030A5003	DP3030A1002	A77309044A3	8910DPA33V14	14331/13007	C3M30A	310030Q9XXXAH	154-3	DPA33V14	90163
DP301203	DP3030B5002	DP3030B1001	A77309044A1	8910DPA33V02	13008	C3M30B	310030T9XXXAH	154-3	DPA33V02	90164
DP302403	DP3030C5001	DP3030C1000	A77309044A2	8910DPA33V09	13009	C3M30C	310030U9XXXAH	154-3	DPA33VO9	90165
DP40243	DP3040A5002	DP3040A1001	A77309046A3	8910DPA43V14	14431/13013	C3M40A	310030Q10XXXAH	154-4	DPA43V14	90170
DP401203	DP3040B5001	DP3040B1000	A77309046A1	8910DPA43V02	13014	C3M40B	310030T10XXXAH	154-4	DPA43VO2	90171
DP402403	DP3040C5000	DP3040C1009	A77309046A2	8910DPA43V09	14433/13015	C3M40C	310030U10XXXAH	154-4	DPA43VO9	90172
DP50243	DP3050A5001	DP3050A1000	A77288514A3	8910DPA53V14	13200	C3L50A	310030Q16XXXCG	***	8910MO3	92459
DP501203	DP3050B5000	DP3050B1009	A77288514A1	8910DPA53V02	13201	C3L50B	310030T16XXXCG	***	8910MO3	92460
DP502403	DP3050C5009	DP3050C1008	A77288514A2	8910DPA53V09	13202	C3L50C	310030U16XXXCG	***	8910MO3	92461
DP60243	DP3060A5000	DP3060A1009	A77288517A3	8910DPA63V14	13220	C3L60A	310030Q17XXXCG	***	8910NO3	92463
DP601203	DP3060B5009	DP3060B1008	A77288517A1	8910DPA63V02	13221	C3L60B	310030T17XXXCG	***	8910NO3	92464
DP602403	DP3060C5008	DP3060C1007	A77288517A2	8910DPA63V09	13222	C3L60C	310030U17XXXCG	***	8910NO3	92465
DP75243	DP3075A5008	DP3075A1007	A77288520A3	***	13240	C3L75A	3100Y30Q75XXXCG	***	***	92467
DP751203	DP3075B5007	DP3075B1006	A77288520A1	***	13241	C3L75B	3100Y30T75XXXCG	***	8910PO3	92468
DP752403	DP3075C5006	DP3075C1005	A77288520A2	***	13242	C3L75C	3100Y30U75XXXCG	***	***	92469
DP90243	***	DP3090A1006	***	***	13260	C3L90A	3100Y30Q90XXXCG	***	***	***
DP901203	***	DP3090B1005	***	***	13261	C3L90B	3100Y30T90XXXCG	***	8910Q03	***
DP902403	***	DP3090C1004	***	***	13262	C3L90C	3100Y30U90XXXCG	***	***	***



**LBK10 LINEBACKER® SURGE PROTECTOR**



The LBK10 uses state-of-the-art TP-MOV technology coupled with the ability to remove your equipment from damaging surges, the LBK10 provides the ultimate solution for you surge protection needs

- TPMOV Technology
- NO/NC relay to disconnect equipment and/or activate indicator
- Easy installation at condensing unit
- Green LED indicates surge protection status
- Voltage Monitoring
- Ground Monitoring
- Weatherproof housing
- 3 Year product warranty
- 3 Year Connected equipment guarantee
- UL® Listed 1449, 4th edition
- Type 2 Surge Protection Device

**APP120 ALL PURPOSE PROTECTOR**



- Helps Prevent Blown Fuses
- Short Cycle Protection
- Prevents Operation in Low Voltage Conditions
- Prevents False Starting Attempts
- Easy Installation
- LED to Indicate Proper Operation
- Automatic Restarts

**Specifications**

Minimum Starting Volts	90 VAC single phase
Operating Volts	115 VAC single phase
Maximum Switching	1.0 HP @ 115 VAC (12,000 BTU)

**General Specifications**

Time Delay	4 minutes (+ 1 minute)
Power consumption	10 mA
Operating Temperature	14°F to 158°F (-10°C to 70°C)
Size	9.055" X 4.72" X 3.15" (230mm X 120mm X 80mm)

**SUPCO HAS YOU COVERED WITH**

**LINEBACKER®**  
Protects your equipment since 1976

**LBK10**

**LBK500 (page 53)**

**SPP8E  
(Page 6)**

**THE COMPLETE PROTECTION PACKAGE**