LOCK JOINT SDS Revision Date:

07/01/2018



Sid Harvey Parts F3-61, F3-62, & F3-63

SDS # Z0111

1. Identification

1.1. Product identifier	
Product Identity	LOCK JOINT
Alternate Names	10-614, 10-615, 10-625, 10-630, Blended Formula, LOCK JOINT
1.2. Relevant identified uses of the substance or mix	ture and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	ComStar International Inc.
	20-45 128th Street,
	College Point, NY 11356
Telephone No.	718-445-7900
	800-328-0142
	Fax: 718-353-5998
2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315 Causes skin irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



[Prevention]:

.

P261 Avoid breathing dust / fume / gas / mist / vapors / spray. P271 Use only outdoors or in a well-ventilated area.

LOCK JOINT **SDS Revision Date:**



07/01/2018

[Response]:

P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
DIOCTYLPHATE CAS#: 117-84-0	<5	Carc. 1B H350 Repr. 1B H360	[1]
MEK CAS#: 76-93-3	<5	Flam. Liq 2, Eye Irrit. – 2, STOT SE3	[1][2]
TETRAYDROFURAN CAS#: 109-99-9	<5	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H335	[1]
CYCLOHEXANONE CAS#: 108-94-1	<5	Acute Toxicity: 4 Skin Irritation: 3 Eye: 2B	[1][2]
Proprietary Clay CAS#: N/A	Balance	Not Classified	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

LOCK JOINT SDS Revision Date:

07/01/2018



4.2. Most important symptoms and effects, both acute and delayed

Overview

No specific symptom data available. See section 2 for further details.

Inhalation

Harmful if inhaled.

5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

LOCK JOINT SDS Revision Date:



8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
117-84-0 DIOCTYLPHATE		OSHA	100 ppm
		ACGIH	100 ppm
		NIOSH	No Established Limit
		Supplier	No Established Limit
76-93-3	MEK	OSHA	50 ppm
		ACGIH	50 ppm
		NIOSH	TWA 200 ppm (590 mg/m3) ST 300 ppm (885 mg/m3) [2]
		Supplier	No Established Limit
109-99-9	TETRAYDROFURAN	OSHA	100 ppm
		ACGIH	100 ppm
		NIOSH	200 ppm TWA; 590 mg/m3 TWA
		Supplier	No Established Limit
108-94-1	CYCLOHEXANONE	OSHA	25 ppm
		ACGIH	25 ppm
		NIOSH	TWA 25 ppm (100 mg/m3)
		Supplier	No Established Limit
N/A	Proprietary Clay	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value	
117-84-0 DIOCTYLPHAT	DIOCTYLPHATE	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
76-93-3	MEK	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
109-99-9	-99-9 TETRAYDROFURAN		Select Carcinogen: No	
		NTP	Known: No; Suspected: Yes	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
108-94-1	CYCLOHEXANONE	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	

07/01/2018

SDS Revision Date:

07/01/2018



		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
N/A	Proprietary Clay	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls Respiratory	If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.
	Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.
Eyes	Safety glasses with side shields, goggles or face shield are recommended.
Skin	Wear overalls to keep skin contact to a minimum.
Engineering Controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
See section 2 for further d	letails [Prevention]:

9. Physical and chemical properties

Appearance	Blue paste
Odor	Slight
Odor threshold	Not Measured
рН	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	370 F/188 C
Flash Point	None
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 135C(275F): NA
	Upper Explosive Limit: 199C(390F): NA
Vapor pressure (Pa)	6 mmHg (at 70 F)
Vapor Density	Not Measured
Specific Gravity	> 2 (H20 = 1)

LOCK JOINT SDS Revision Date:

07/01/2018



Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) Volatiles (% by weight) Octanol/Water Partition Coefficient 9.2. Other information No other relevant information. Complete Not Measured (ASTM D 2155): NA Not Measured 25C/77F: NA NA

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
DIOCTYLPHATE (117-84-0)	47,000 mg/kg (Rat)	4,890mg/kg	No data available	No data available	No data available
MEK (76-93-3)	2737 mg/kg (rat)	6480 mg/kg (rabbit)	mouse - 4 h - 32,000 mg/m3	No data available	No data available
TETRAYDROFURAN (109-99-9)	2842 mg/kg (rat)	2620 mg/kg	54 mg/kg	No data available	No data available
CYCLOHEXANONE (108-94-1)	1535 mg/kg (rat)	948 mg/kg (rabbit)	No data available	No data available	8,000 PPM (rat)
Proprietary Clay (N/A)	No data available	No data available	No data available	No data available	No data available

Safety Data Sheet LOCK JOINT SDS Revision Date:

ComStar

07/01/2018

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr. LC50 fish, mg/l	48 hr. EC50 crustacea, mg/l	ErC50 algae, mg/l
DIOCTYLPHATE (117-84-0)	>20mg/L	Not Available	Not Available
MEK (76-93-3)	3,130 - 3,320 mg/l	520 mg/l	Not Available
TETRAYDROFURAN (109-99-9)	1970-2360 mg/L Pimephales promelas	Not Available	Not Available
CYCLOHEXANONE (108-94-1)	481-578 mg/L	800 mg/L	Not Available
Proprietary Clay	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

LOCK JOINT SDS Revision Date:

07/01/2018



12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information					
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA		
14.1. UN number	Not Applicable	Not Regulated	Not Regulated		
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated		
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable		
14.5. Environmental hazar	ds				
IMDG Mari	ne Pollutant: No				
14.6. Special precautions f	or user				

No further information

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.	
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.	
WHMIS Classification	Not Regulated	
US EPA Tier II Hazards	Fire: No	
	Sudden Release of Pressure: No	

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

LOCK JOINT SDS Revision Date:

07/01/2018



EPCRA 313 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **New Jersey RTK Substances (>1%):**

Pennsylvania RTK Substances (>1%):

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document

LOCK JOINT SDS Revision Date:

04/02/2015



Sid Harvey item #'s F3-61, F3-62 & F3-63 SDS # Z0111

1. Identification

1.1. Product identifier	
Product Identity	LOCK JOINT
Alternate Names	10-614, 10-615, 10-625, 10-630, Blended Formula, LOCK JOINT
1.2. Relevant identified uses of the substance or mixed	ure and uses advised against
Intended use	See Technical Data Sheet.
Application Method	See Technical Data Sheet.
1.3. Details of the supplier of the safety data sheet	
Company Name	ComStar International Inc.
	20-45 128th Street,
	College Point, NY 11356
Telephone No.	718-445-7900 800-328-0142 Fax: 718-353-5998

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Harmful if inhaled.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P271 Use only outdoors or in a well-ventilated area.

[Response]:

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell. P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing. [Storage]:

LOCK JOINT SDS Revision Date:



No GHS storage statements [Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
DIOCTYLPHATE CAS#: 117-84-0	>10	Carc. 1B H350 Repr. 1B H360	[1]
MEK CAS#: 76-93-3	<10	Flam. Liq 2, Eye Irrit. – 2, STOT SE3	[1][2]
TETRAYDROFURAN CAS#: 109-99-9	<10	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H335	[1]
CYCLOHEXANONE CAS#: 108-94-1	<10	Acute Toxicity: 4 Skin Irritation: 3 Eye: 2B	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. *The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview	No specific symptom data available.
	See section 2 for further details.

04/02/2015

LOCK JOINT SDS Revision Date:



04/02/2015

Inhalation

Harmful if inhaled.

5. Fire-fighting measures

5.1. Extinguishing media

Water fog, C02, dry chemical, universal foams

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and protective clothing.

ERG Guide No. ---

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. For Large Spills: Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Preventation of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Oxidizing agents, alkali metals

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

LOCK JOINT SDS Revision Date:

04/02/2015



8. Exposure controls and personal protection

8.1. Control parameters Exposure

CAS No.	Ingredient	Source	Value
117-84-0	DIOCTYLPHATE	OSHA	100 ppm
		ACGIH	100 ppm
		NIOSH	No Established Limit
		Supplier	No Established Limit
76-93-3	MEK	OSHA	50 ppm
		ACGIH	50 ppm
		NIOSH	TWA 200 ppm (590 mg/m3) ST 300 ppm (885 mg/m3)[2]
		Supplier	No Established Limit
109-99-9 TETRAYDROFURAN	OSHA	100 ppm	
		ACGIH	100 ppm
	NIOSH	200 ppm TWA; 590 mg/m3 TWA	
		Supplier	No Established Limit
108-94-1	CYCLOHEXANONE	OSHA	25 ppm
		ACGIH	25 ppm
		NIOSH	TWA 25 ppm (100 mg/m3)
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
117-84-0	17-84-0 DIOCTYLPHATE		Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
76-93-3 MEK		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
	IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
109-99-9 TETRAYDROFURAN		OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: Yes
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
108-94-1	CYCLOHEXANONE	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to

LOCK JOINT SDS Revision Date:

ComStar

assure Compliance with OSHA Standard 29 CFR 1910.134.

Eyes	Safety glasses with side shields, goggles or face shield are recommended.
Skin	Wear overalls to keep skin contact to a minimum.
Engineering Controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc. Recommended Decontamination Facilities: Eye bath, washing facilities.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
See section 2 for further of	letails [Prevention]:

9. Physical and chemical properties

Appearance	Blue paste
Odor	Butyl odor
Odor threshold	Not Measured
рН	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	370 F/188 C
Flash Point	None
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: 135C(275F): NA
	Upper Explosive Limit: 199C(390F): NA
Vapor pressure (Pa)	6 mmHg (at 70 F)
Vapor Density	Not Measured
Specific Gravity	> 2 (H20 = 1)
Solubility in Water	Complete
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	(ASTM D 2155): NA
Decomposition temperature	Not Measured
Viscosity (cSt)	25C/77F: NA
Volatiles (% by weight)	NA
Octanol/Water Partition Coefficient	NA
9.2. Other information	
No other relevant information.	

04/02/2015

LOCK JOINT SDS Revision Date:



04/02/2015

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong Oxidizers

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
DIOCTYLPHATE (117-84-0)	47,000 mg/kg (Rat)	4,890mg/kg	No data available	No data available	No data available
MEK (76-93-3)	2737 mg/kg (rat)	6480 mg/kg (rabbit)	mouse - 4 h - 32,000 mg/m3	No data available	No data available
TETRAYDROFURAN (109-99-9)	2842 mg/kg (rat)	2620 mg/kg	54 mg/kg	No data available	No data available
CYCLOHEXANONE (108-94-1)	1535 mg/kg (rat)	948 mg/kg (rabbit)	No data available	No data available	8,000 PPM (rat)

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable

LOCK JOINT SDS Revision Date:

04/02/2015



Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
DIOCTYLPHATE (117-84-0)	>20mg/L	Not Available	Not Available
MEK (76-93-3)	3,130 - 3,320 mg/l	520 mg/l	Not Available
TETRAYDROFURAN (109-99-9)	1970-2360 mg/L Pimephales promelas	Not Available	Not Available
CYCLOHEXANONE (108-94-1)	481-578 mg/L	800 mg/L	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

LOCK JOINT SDS Revision Date:

04/02/2015



13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

No further information

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA	
14.1. UN number	Not Applicable	Not Regulated	Not Regulated	
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated	
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable	
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable	
14.5. Environmental hazar	ds			
IMDG Mari	ne Pollutant: No			
14.6. Special precautions for user				

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.		
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.		
WHMIS Classification	Not Regulated		
US EPA Tier II Hazards	Fire: No		
Sudden Release of Pressure: No			
Reactive: No			
	Immediate (Acute): No		
	Delayed (Chronic): No		

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute. **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Extremely Hazardous:

DIOCTYLPHATE

LOCK JOINT SDS Revision Date:



04/02/2015

TETRAYDROFURAN

CYCLOHEXANONE

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

DIOCTYLPHATE TETRAYDROFURAN CYCLOHEXANONE

Pennsylvania RTK Substances (>1%):

DIOCTYLPHATE TETRAYDROFURAN CYCLOHEXANONE

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H331 Toxic if inhaled.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.

End of Document



MATERIAL SAFETY DATA SHEET Complies with OSHA Hazard Communication And WHIMS Standard 29 CFR 1910-1200

Print Date: 06/01/08

Product Name: LOCK JOINT Product Number: 10-615, 10-625, 10-630

I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

 Manufacturer:
 ComStar International Inc.
 Tel:
 718-445-7900, 800-328-0142

 Address:
 20-45
 128th Street, College Point, NY
 11356
 Fax:
 718-353-5998

Chemical Name: Blended Formula Synonym(s): None

II - COMPOSITION/INFORMATION ON INGREDIENTS

HA PEL ACGIH TLV CAS NO.
ppm 100 ppm 117-84-0
ppm 50 ppm 76-93-3
ppm 100 ppm 109-99-9
ppm 25 ppm 108-94-1
) F

III - HAZARDS IDENTIFICATION

HMIS Hazard Ratings: Health – 1, Flammability – 1, Chemical Reactivity – 0 NFPA Hazard Ratings: Health – 1, Flammability – 1, Chemical Reactivity – 0 **NOTE:** HMIS and NFPA ratings involve data and interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

IV - FIRST-AID MEASURES

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist. **Eyes:** Immediately flush with plenty of water for at least 15 minutes. Get medical attention. **Skin:** Remove contaminated clothing, wash affected skin with soap and water immediately. Get medical attention if symptoms occur.

Ingestion: Drink plenty of water. Get immediate medical attention.

V - FIRE FIGHTING MEASURES

Extinguishing Media: All types are acceptable

Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. **Hazardous Combustion Products:** Unknown

Unusual Fire and Exposure Hazards: None known. Keep product cool.

VI - ACCIDENTAL RELEASE MEASURES

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. **For Large Spills:** Flush spill area with water spray. Prevent run-off from entering drains, sewers, or streams, collect run-off.

VII - HANDLING AND STORAGE

Personal Precautionary Measures: Avoid contact with eyes and skin. Wash thoroughly after handling. Do not breathe vapors or fumes.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials, alkalis and acids. Store away from heat, sunlight and moisture.

VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

ACGIH Threshold Limit Value (TLV): see section II

OSHA (USA) Permissible Exposure Limit (PEL): see section II

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, evaporation from large surfaces, spraying, heating, etc.

Respiratory Protection: If engineering controls do not maintain airborne concentrations to an acceptable level, a NIOSH approved respirator must be worn.

Respirator Type: Organic vapor. If respirators are used, a program should be instituted to assure Compliance with OSHA Standard 29 CFR 1910.134.

Eye Protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection: It is a good industrial hygiene practice to minimize skin contact.

Recommended Decontamination Facilities: Eye bath, washing facilities

IX - PHYSICAL AND CHEMICAL PROPERTIES

Color: Blue gel Odor: Slight ethereal odor Odor Threshold: not available Specific Gravity (H20 = 1): N/A

Vapor Pressure at 70° F: N/A Vapor Density (Air = 1): N/A Evaporation Rate (n-butyl acetate = 1): N/A Volatile Fraction by Weight: N/A Boiling Point: 140° F Melting Point: > 500 F Viscosity at 25° C (77° F): N/A

Solubility in Water: No Octanol/ Water Partition Coefficient: not available Flash Point: 140 Lower Explosive Limit 135° C (275° F): N/A Upper Explosive Limit 199° C (390° F): N/A Auto ignition Temperature (ASTM D 2155): N/A

X - STABILITY AND REACTIVITY

Stability: Product is considered stable. **Incompatibility:** strong acids, caustics and oxidizers **Hazardous Polymerization:** will not occur

XI - TOXICOLOGICAL INFORMATION

Inhalation: Low hazard for usual industrial handling by trained personnel.

Eyes: Causes irritation.
Skin: Low hazard for usual industrial handling by trained personnel, see label warnings.
Ingestion: Not considered toxic
Acute Toxicity Data:
Oral LD-50 (rabbit): not available
Inhalation LC-50: not available

XII - ECOLOGICAL INFORMATION

Introduction: Leaks should be stopped. Spills should be contained and cleaned up immediately. Large liquid spills should be removed by using a vacuum truck. Solid spills should be scooped up and placed in approved containers for disposal. The spill area should then be flushed with water followed by liberal covering of sodium bicarbonate. All clean-up material should be removed and placed in approved containers, labeled and stored in a safe place to await proper treatment or disposal. Spills on areas other than pavement, e.g., dirt or sand, may be handled by removing the affected soils and placing in approved containers. Persons performing clean-up work should wear adequate personal protective equipment and clothing. Spills or releases should be reported, if required, to the appropriate local, state and federal regulatory agencies.

XIII - DISPOSAL CONSIDERATIONS

Discharge, treatment, or disposal may be subject to national, state, or local laws. Check with state and local officials before disposal.

XIV - TRANSPORT INFORMATION

DOT (USA) Status: not regulated
TDG (Canada) Status: not regulated
Air – International Civil Aviation Organization (ICAO)
ICAO Status: Check with air freight forwarder for ruling.
Sea – International Maritime Dangerous Goods (IMDG)
IMDG Status: not regulated

XV - REGULATORY INFORMATION

This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 910.1200.

OSHA hazardous chemical(s): trade secret (blended formula).

Material(s) known to the State of California to cause cancer: none

Material(s) known to the State of California to cause adverse reproductive effects: none

Massachusetts Substance List: none.

New Jersey Workplace Hazardous Substance List: none

Pennsylvania Hazardous Substance List: none

This document has been prepared in accordance with the MSDS requirements of the WHMIS Controlled Products Regulation.

WHMIS (Canada) Ingredient Disclosure List: trade secret (blended formula).

WHMIS (Canada) Status: not listed.

WHMIS (Canada) controlled material(s): not listed.

WHMIS (Canada) Hazard Classification: not classified.

Carcinogenicity Classification (components present at 0.1% or more): None

International Agency for Research on Cancer (IARC): Not listed American Conference of Governmental Industrial Hygienist (ACGIH): Not listed National Toxicology Program (NTP): not listed Occupational Safety and Health Administration (OSHA): Not listed Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372: None.

SARA (U.S.A.) Sections 311 and 312 hazard classification(s): Not listed.

NOTE: The opinions expressed are those of qualified experts within ComStar International Inc. We believe that the information contained is current as of the date of the Material Safety Data Sheet. Since the use of this information and of these opinions and the conditions of the use of the product are not within the control of ComStar International Inc., it is the user's obligation to determine the conditions of safe use of the product.