


Copper Flare Seal Bonnets

Copper Flare Seal Bonnets

Cat Number	Part Number	Size Flare	A (in)	B (in)	C (in)*	Box Qty	Wt(lb)
B1-3	A 04737	3/16	0.31	0.16	0.16	25	0.001
B1-4	A 00414	1/4	0.36	0.22	0.22	100	0.001
B1-5	A 04935	5/16	0.42	0.28	0.28	50	0.004
B1-6	A 00415	3/8	0.55	0.36	0.34	100	0.005
B1-8	A 00416	1/2	0.66	0.47	0.41	100	0.005
B1-10	A 00485	5/8	0.77	0.61	0.44	20	0.010
B1-12	A 04738	3/4	0.95	0.72	0.56	25	0.015



Copper Flare Gaskets

Copper Flare Gaskets

Cat Number	Part Number	Size Flare	A (in)	B (in)	C (in)*	Box Qty	Wt(lb)
B2-4	A 00401	1/4	0.36	0.19		100	0.001
B2-5	A 04811	5/16	0.42	0.22		50	0.017
B2-6	A 00402	3/8	0.55	0.28		100	0.002
B2-8	A 00403	1/2	0.66	0.41		100	0.002
B2-10	A 05186	5/8	0.77	0.50		50	0.005
B2-12	A 04822	3/4	0.95	0.63		25	0.005


* C Dimension: Copper Flare Seal Bonnet +/- 1/64




Half Union - Flare to NPTFE

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
E1-4A	A 00335	1/4	1/8	0.94	0.78	25	0.040
E1-4B	A 04890	1/4	1/4	0.91	0.94	25	0.055
E1-4C	A 04812	1/4	3/8	0.94	1.03	25	0.082
E1-6A	A 04937	3/8	1/8	1.03	0.91	25	0.080
E1-6B	A 00337	3/8	1/4	1.06	1.06	25	0.077
E1-6C	A 04889	3/8	3/8	1.06	1.09	25	0.108
E1-6D	A 04886	3/8	1/2	1.13	1.34	25	0.160
E1-8B	A 05044	1/2	1/4	1.22	1.19	10	0.135
E1-8C	A 00339	1/2	3/8	1.22	1.13	15	0.140
E1-8D	A 04887	1/2	1/2	1.28	1.38	15	0.180
E1-8E	A 05072	1/2	3/4	1.34	1.38	10	0.231
E1-10C	A 04856	5/8	3/8	1.47	1.25	10	0.225
E1-10D	A 04538	5/8	1/2	1.47	1.44	10	0.240
E1-10E	A 05054	5/8	3/4	1.47	1.50	10	0.255

Half Union - Flare to NPTFE




Union - Flare to Flare




Union - Flare to Flare

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
E2-4	A 00147	1/4	1/4	0.91		25	0.074
E2-6	A 00146	3/8	3/8	1.06		25	0.095
E2-8	A 00145	1/2	1/2	1.22		15	0.150
E2-10	A 04539	5/8	5/8	1.47		10	0.250

External Flare to NPTFI



External FI to Internal FI




External Flare to NPTFI

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
E3-4A	A 04630	1/4	1/8	0.91	0.91	25	0.050
E3-4B	A 05007	1/4	1/4	1.06	0.66	25	0.140


External Flare to Internal Flare

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
E4-44	A 04898	*	1/4	1/4	0.94	25	0.065
E4-66	A 08082	*	3/8	3/8	1.22	25	0.170

Half Union - Flare to Solder



Ext FI to Int FI Swivel



Half Union - Flare to Solder

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
ES2-44	A 03449	1/4	1/4	0.84	0.36	25	0.035
ES2-66	A 03511	3/8	3/8	1.08	0.47	20	0.081
ES2-88	A 07851	1/2	1/2	1.22	0.47	10	0.120


External Flare to Internal Flare Swivel

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
ES4-44	A 15940	1/4	1/4	0.91	1.25	4	0.103
ES4-66	A 15941	3/8	3/8	1.08	1.42	4	0.133
ES4-88	A 15943	1/2	1/2	1.22	1.53	4	0.202

External Flare to Internal Flare Swivel, JIS Class II

Cat Number	Part Number	Flare A (in)	B (in)	C (in)	D (in)	Box Qty	Wt(lb)
	A 15940H	1/4	1/4	0.91	1.25	4	0.085
	A 15941H	3/8	3/8	1.08	1.42	4	0.085
	A 15943H	1/2	1/2	1.25	1.55	4	0.085


* Furnished Gasket




Refrigerant Drum Adaptors

Cat Number	Part Number	Flare A (in)	NPSM B (in) *	C (in)	D (in)	Hex	Box Qty	Wt(lb)	Replacement Gasket
K1-1	A 08073	1/4	3/4	1.13	0.44	1 1/4	10	0.159	A 08074
K1-3	A 08274	3/8	3/4	1.25	0.44	1 1/4	10	0.187	A 08074
K1-5	A 08276	1/2	3/4	1.38	0.44	1 1/4	10	0.194	A 08074
K1-8	A 08166	1/4	1/2	1.13	0.44	1 1/8	10	0.148	A 08167


* Furnished Gasket




Long Forged Nuts



Flare Seal Cap



Flare Seal Cap
Finger Tightening



Short Forged

Long Forged Nuts

Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
N4-4	* A 00440	1/4	1/4	5/8	0.26	0.94	25	0.048
N4-6	* A 00441	3/8	3/8	13/16	0.38	1.06	25	0.075
N4-8	* A 00442	1/2	1/2	15/16	0.51	1.19	10	0.108
N4-10	* A 01112	5/8	5/8	1 1/16	0.63	1.44	5	0.185
N4-12	* A 04731	3/4	3/4	1 5/16	0.76	1.75	5	0.345

Flare Seal Caps

Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
N5-4	A 04544	1/4		9/16	0.34	0.56	50	0.025
N5-5	A 04758	5/16		5/8	0.38	0.56	25	0.027
N5-6	A 04545	3/8		3/4	0.44	0.69	25	0.045
N5-8	A 04546	1/2		7/8	0.55	0.81	25	0.069
N5-10	A 04560	5/8		1 1/16	0.63	0.94	10	0.137
N5-12	A 04951	3/4		1 5/16	0.75	1.09	10	0.210

Flare Seal Caps - Finger Tightening

Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
NFT5-4	A 16447	1/4			0.56	0.48	N/A	0.014
NFT5-6	A 16448	3/8			0.73	0.67	N/A	0.028

Short Forged Reducing Nuts

Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
NRS4-43	* A 05132	1/4	3/16	5/8	0.19	0.59	10	0.027
NRS4-54	* A 05247	5/16	1/4	11/16	0.26	0.63	10	0.055
NRS4-64	* A 05140	3/8	1/4	13/16	0.26	0.69	25	0.060
NRS4-65	* A 05282	3/8	5/16	13/16	0.32	0.69	10	0.027
NRS4-86	* A 05141	1/2	3/8	15/16	0.38	0.81	15	0.094
NRS4-108	* A 05228	5/8	1/2	1 1/16	0.51	0.94	15	0.125


Short Forged Nuts

Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
NS4-3	* A 05238	3/16	3/16	1/2	0.19	0.53	50	0.024
NS4-4	* A 05051	1/4	1/4	5/8	0.26	0.59	50	0.035
NS4-5	* A 05239	5/16	5/16	11/16	0.32	0.63	25	0.040
NS4-6	* A 05052	3/8	3/8	13/16	0.38	0.69	25	0.052
NS4-8	* A 05053	1/2	1/2	15/16	0.51	0.81	15	0.084
NS4-10	* A 05157	5/8	5/8	1 1/16	0.63	0.94	10	0.120
NS4-12	* A 05222	3/4	3/4	1 5/16	0.76	1.13	10	0.235

UL File No. SA9003

Short Forged Nuts, JIS Class II


Cat Number	Part Number	Flare A (in)	Size Tube	Hex	A (in)	B (in)	Box Qty	Wt(lb)
	* A 05051H	1/4	1/4	21/32	0.26	0.59	N/A	0.040
	* A 05052H	3/8	3/8	27/32	0.38	0.71	N/A	0.080
	* A 05053H	1/2	1/2	1 11/16	0.51	0.86	N/A	0.130
	* A 05157H	5/8	5/8	1 1/8	0.63	1.03	N/A	0.180
	* A 05222H	3/4	3/4	1 13/32	0.76	1.18	N/A	0.180



Flare Plug

Flare Plugs


Cat Number	Part Number	Flare A (in)	Hex	A (in)	B (in)	Box Qty	Wt(lb)
P2-3	A 05045	3/16	3/8	0.16	0.59	15	0.016
P2-4	A 00121	1/4	7/16	0.19	0.69	25	0.022
P2-5	A 00124	5/16	1/2	0.22	0.78	15	0.034
P2-6	A 00122	3/8	5/8	0.25	0.88	25	0.070
P2-8	A 00123	1/2	3/4	0.31	1.06	25	0.095
P2-10	A 04536	5/8	7/8	0.31	1.19	15	0.137
P2-12	A 04757	3/4	1 1/16	0.31	1.31	10	0.225




Brass Pipe Plug

Brass Pipe Plugs


Cat Number	Part Number	Flare A (in)	Hex	A (in)	B (in)	Box Qty	Wt(lb)
P3-A	A 00250	1/8	1/2	0.19	0.63	50	0.030
P3-B	A 00249	1/4	11/16	0.25	0.81	50	0.056
P3-C	A 00425	3/8	11/16	0.25	0.75	25	0.058
P3-D	A 04759	1/2	7/8	0.31	0.88	25	0.175
P3-E	A 05004	3/4	1 1/8	0.31	1.03	10	0.305




Two-Way




Three-Way



Right Angle Two-Way



Three-Way, Internal Branch



Three-Way Reducing

Two-Way

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	F (in)	Box Qty	Wt(lb)
		Flare	Flare	NPTFE					
T1-4A	A 00345	1/4	1/4	1/8	0.81	0.94	0.94	25	0.066
T1-4B	A 04859	1/4	1/4	1/4	1.03	0.91	0.91	25	0.080
T1-8C	A 00349	1/2	1/2	3/8	1.13	1.22	1.22	15	0.191

Three-Way

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	F (in)	Box Qty	Wt(lb)
		Flare	Flare	Flare					
T2-4	A 00340	1/4	1/4	1/4	0.94	0.94		25	0.065
T2-6	A 00342	3/8	3/8	3/8	1.06	1.06		15	0.143
T2-8	A 00344	1/2	1/2	1/2	1.22	1.22		15	0.196
T2-12	A 04749	3/4	3/4	3/4	1.66	1.66		5	0.502

Right Angle Two-Way

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	F (in)	Box Qty	Wt(lb)
		NPTFE	Flare	Flare					
T3-4A	A 00127	1/8	1/4	1/4	0.94	0.80	0.94	25	0.070
T3-4B	A 04998	1/4	1/4	1/4	0.94	1.06	0.94	25	0.088
T3-6C	A 04941	3/8	3/8	3/8	1.06	1.09	1.06	25	0.140
T3-8C	A 04778	3/8	1/2	1/2	1.22	1.13	1.22	15	0.182


Three-Way, Internal Branch

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	F (in)	Box Qty	Wt(lb)
		Flare	Flare	Flare					
T6-4	A 06330 *	1/4	1/4	1/4	0.94	0.91		25	0.085


Three-Way Reducing

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	F (in)	Box Qty	Wt(lb)
		Flare	Flare	NPTFE					
TR2-68	A 04547	3/8	3/8	1/2	1.22	1.13		15	0.194
TR2-68	A 04547	3/8	3/8	1/2	1.22	1.13		15	0.194
TR2-86	A 04559	1/2	1/2	3/8	1.13	1.22		15	0.191
TR2-86	A 04559	1/2	1/2	3/8	1.13	1.22		15	0.191


*Gasket Furnished



Half Union - Flare to NPTFE



Union- Flare to Flare



Half Union - Flare to NPTFI

Half Union - Flare to NPTFE

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Flare	NPTFE						
U1-3A	A 01117	3/16	1/8	1.00	0.38	0.19	7/16	15	0.025
U1-4A	A 00330	1/4	1/8	1.06	0.38	0.19	7/16	25	0.028
U1-4B	A 04585	1/4	1/4	1.25	0.56	0.19	9/16	25	0.047
U1-4C	A 01197	1/4	3/8	1.31	0.56	0.25	11/16	25	0.071
U1-4D	A 04628	1/4	1/2	1.56	0.75	0.31	7/8	25	0.114
U1-5A	A 00331	5/16	1/8	1.16	0.38	0.31	1/2	25	0.040
U1-5B	A 05036	5/16	1/4	1.34	0.56	0.22	9/16	25	0.055
U1-5C	A 01198	5/16	3/8	1.38	0.56	0.25	11/16	25	0.075
U1-6A	A 05003	3/8	1/8	1.25	0.38	0.25	5/8	25	0.065
U1-6B	A 00332	3/8	1/4	1.44	0.56	0.25	5/8	25	0.075
U1-6C	A 01199	3/8	3/8	1.44	0.56	0.25	11/16	25	0.090
U1-6D	A 04993	3/8	1/2	1.69	0.75	0.31	7/8	25	0.135
U1-8A	A 05034	1/2	1/8	1.44	0.38	0.31	3/4	10	0.094
U1-8B	A 04439	1/2	1/4	1.63	0.56	0.31	3/4	10	0.108
U1-8C	A 00334	1/2	3/8	1.63	0.56	0.31	3/4	10	0.119
U1-8D	A 04780	1/2	1/2	1.81	0.75	0.31	7/8	10	0.155
U1-8E	A 05066	1/2	3/4	1.94	0.75	0.44	1 1/16	10	0.228
U1-10B	A 05035	5/8	1/4	1.81	0.56	0.38	7/8	10	0.155
U1-10C	A 01195	5/8	3/8	1.81	0.56	0.38	7/8	10	0.168
U1-10D	A 04540	5/8	1/2	2.00	0.75	0.38	7/8	10	0.180
U1-10E	A 04827	5/8	3/4	2.06	0.75	0.44	1 1/16	5	0.250
U1-12C	A 05005	3/4	3/8	2.00	0.56	0.44	1 1/16	10	0.265
U1-12D	A 04739	3/4	1/2	2.19	0.75	0.44	1 1/16	5	0.286
U1-12E	A 04740	3/4	3/4	2.19	0.75	0.44	1 1/16	5	0.290


Unions - Flare to Flare

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Flare	Flare						
U2-4	A 00325	1/4	1/4	1.19	0.19		7/16	25	0.026
U2-5	A 00326	5/16	5/16	1.34	0.22		1/2	25	0.050
U2-6	A 00327	3/8	3/8	1.50	0.25		5/8	25	0.092
U2-8	A 00329	1/2	1/2	1.81	0.31		3/4	15	0.141
U2-10	A 04845	5/8	5/8	2.13	0.38		7/8	10	0.215
U2-12	A 04733	3/4	3/4	2.44	0.44		1 1/16	10	0.368


Half Union - Flare to NPTFI

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Flare	NPTFI						
U3-4A	A 04622	1/4	1/8	1.03			9/16	25	0.042
U3-4B	A 04625	1/4	1/4	1.25			11/16	25	0.065
U3-4C	A 04961	1/4	3/8	1.28			13/16	15	0.081
U3-6A	A 04927	3/8	1/8	1.13			5/8	10	0.065
U3-6B	A 04624	3/8	1/4	1.31			11/16	25	0.083
U3-6C	A 04627	3/8	3/8	1.38			13/16	15	0.100
U3-6D	A 08104	3/8	1/2	1.63			1	15	0.163
U3-8B	A 04928	1/2	1/4	1.41			3/4	15	0.112
U3-8C	A 04727	1/2	3/8	1.50			13/16	15	0.115
U3-8D	A 04728	1/2	1/2	1.75			1	15	0.181
U3-10C	A 04929	5/8	3/8	1.59			7/8	10	0.160
U3-10D	A 04819	5/8	1/2	1.81			1	10	0.195
U3-10E	A 04977	5/8	3/4	1.91			1 1/4	10	0.286


* 2 Gaskets Furnished




Internal Flare Union



Reducing Unions - FI to FI



Internal FI to External FI



Half Union - Ext FI to Solder

Internal Flare Unions

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
Flare									
U4-4	A 00385	*	1/4	1.00			5/8	10	0.065
U4-6	A 00386	*	3/8	1.25			13/16	10	0.118
U4-8	A 00387	*	1/2	1.44			15/16	10	0.175

Reducing Unions - Flare to Flare

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
Flare Flare									
UR2-43	A 05270	1/4	3/16	1.13	0.19		7/16	15	0.030
UR2-54	A 08730	5/16	1/4	1.28	0.22		1/2	10	0.046
UR2-64	A 01171	3/8	1/4	1.38	0.25		5/8	15	0.072
UR2-65	A 04981	3/8	5/16	1.44	0.25		5/8	10	0.078
UR2-84	A 00356	1/2	1/4	1.56	0.31		3/4	15	0.100
UR2-86	A 00149	1/2	3/8	1.69	0.31		3/4	25	0.127
UR2-106	A 05334	5/8	3/8	1.88	0.38		7/8	10	0.175
UR2-108	A 04846	5/8	1/2	2.00	0.38		7/8	15	0.192
UR2-128	A 04734	3/4	1/2	2.19	0.44		1 1/16	10	0.290
UR2-1210	A 04784	3/4	5/8	2.31	0.44		1 1/16	10	0.332


Internal Flare to External Flare

Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
Flare Flare									
UR3-43	A 05147	1/4	3/16	1.03			5/8	10	0.047
UR3-46	A 05041	1/4	3/8	1.13			5/8	15	0.070
UR3-48	A 08127	1/4	1/2	1.25			3/4	10	0.112
UR3-64	A 00479	3/8	1/4	1.22			13/16	15	0.078
UR3-68	A 04888	3/8	1/2	1.41			13/16	15	0.110
UR3-84	A 00480	1/2	1/4	1.38			15/16	15	0.107
UR3-86	A 00481	1/2	3/8	1.44			15/16	15	0.120
UR3-108	A 04770	5/8	1/2	1.69			1 1/16	10	0.180
UR3-810	A 04879	1/2	5/8	1.63			15/16	10	0.169
UR3-1012	A 04878	5/8	3/4	1.91			1 1/16	10	0.265
UR3-1210	A 04826	3/4	5/8	1.97			1 5/16	10	0.241

Half Union - External Flare to Solder


Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
Flare OD									
US3-44	A 03431	1/4	1/4	0.69			7/16	50	0.025
US3-45	A 03466	1/4	5/16	0.69			7/16	25	0.023
US3-46	A 03494	1/4	3/8	0.69			1/2	25	0.029
US3-64	A 03443	3/8	1/4	0.88			5/8	25	0.070
US3-65	A 03464	3/8	5/16	0.88			5/8	25	0.061
US3-66	A 03492	3/8	3/8	0.88			5/8	25	0.063
US3-68	A 03547	3/8	1/2	0.88			5/8	10	0.062
US3-86	A 03504	1/2	3/8	1.06			3/4	25	0.112
US3-88	A 03546	1/2	1/2	1.06			3/4	15	0.096
US3-108	A 03519	5/8	1/2	1.25			7/8	10	0.160
US3-610	A 06601	3/8	5/8	0.88			3/4	10	0.075
US3-810	A 02259	1/2	5/8	1.06			3/4	10	0.100
US3-1010	A 02258	5/8	5/8	1.25			7/8	10	0.155
US3-1012	A 02272	5/8	3/4	1.25			7/8	10	0.150
US3-1014	A 02378	5/8	7/8	1.25			1	10	0.166
US3-1212	A 05307	3/4	3/4	1.44			1 1/16	5	0.246
US3-1214	A 05425	3/4	7/8	1.31			1 1/16	5	0.249

* 2 Gaskets Furnished



Internal FI Swivel Unions

Internal Flare Swivel Unions									
Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Flare							
US4-4	A 13563	1/4	0.19	1.38			5/8	15	0.353
US4-5	A 13564	5/16	0.25	1.44			11/16	15	0.085
US4-6	A 13565	3/8	0.31	1.56			13/16	15	0.120
US4-8	A 13567	1/2	0.44	1.81			15/16	15	0.175
US4-10	A 13568	5/8	0.56	2.06			1 1/16	15	0.255



Internal FI to Extension Solder

Internal Flare Swivel Unions, JIS Class II									
Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Female Flare	OD						
	A 13563H	1/4	0.19	1.38			5/8	15	0.091
	A 13565H	3/8	0.31	1.56			13/16	15	0.176
	A 13567H	1/2	0.44	1.81			15/16	15	0.290
	A 13568H	5/8	0.56	2.06			1 1/16	15	0.409

Internal Flare to Extension Solder									
Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
US5-44	A 15725	1/4	1/4	1.60	0.81		5/8	25	0.043
US5-66	A 15726	3/8	3/8	1.71	0.81		13/16	25	0.070
US5-88	A 15727	1/2	1/2	1.98	0.88		15/16	20	0.104
US5-1010	A 15728	5/8	5/8	2.29	1.00		1 1/16	10	0.155
US5-1212	A 15729	3/4	3/4	2.85	1.25		1 5/16	10	0.310

Internal Flare to Extension Solder, JIS Class II									
Cat Number	Part Number	A (in)	B (in)	C (in)	D (in)	E (in)	Hex	Box Qty	Wt(lb)
		Female Flare	ODS						
	A 15725H	1/4	1/4	1.60	0.81		5/8	25	0.050
	A 15726H	3/8	3/8	1.71	0.81		13/16	20	0.098
	A 15727H	1/2	1/2	1.98	0.88		15/16	20	0.157
	A 15728H	5/8	5/8	2.29	1.00		1 1/16	10	0.215
	A 15729H	3/4	3/4	2.85	1.25		1 5/16	10	0.050