

# NOVENT®

LOCKING REFRIGERANT CAPS

## Meet IMC® IRC® code

Unprotected



Protected



- Protect children.
- Protect homeowners from liability.
- Protect HVAC system efficiency.
- Protect against refrigerant theft.

Action videos and full details  
@ [rectorseal.com/novent-caps](https://rectorseal.com/novent-caps)

### Inhalant Abuse.

Breathing in vapor or gases to reach a high or altered state of mind, commonly called

"Huffing, Sniffing, Bagging or Dusting". Inhalants are legal and found in everyday products like glue, paint and the refrigerant gas in your HVAC unit.

Over 2.6 million children, aged 12-17 use inhalant each year to get high. Special tools are required to apply and remove the caps, making it difficult for non-professionals to access the refrigerant.



### Proven, instant protection.

Novent® protects lineset refrigerant gas against intoxication by inhalation of toxic refrigerant gas. Special tools are required to apply and remove the caps, making it difficult to access the refrigerant. They are code compliant, proven to reduce venting, energy loss, and provide protection from serious injury or homeowner liability.

### Insist on code compliant caps.

The International Mechanical Code and International Residential Code require that all outdoor access ports on AC Refrigerant circuits be fitted with locking-type caps to make tamper resistant, and whenever refrigerant is added to or recovered from systems. Novent® locking AC refrigerant caps are the proven code compliant solution in the marketplace.





## NOVENT® LOCKING REFRIGERANT CAPS

Dual protection. Simple key style installation.

### Novent® Silver

Any refrigerant, cap & key

Code	Description	Qty
86690 (NS-STARTPACK)	(6) UNI caps (1) Multikey 1/4"	10
86692 (NS-UNI)	2 cap blister 1/4"	20
86691 (NS-UNI)	10 cap blister 1/4"	10
86693 (NS-UNI)	50 cap box 1/4"	1
86694 (NS-UNI)	100 pack 1/4"	1
86695 (NS-UNI-2PK)	2 cap blister 5/16"	20
86696 (NS-UNI-10PK)	10 cap blister 5/16"	10
86697 (NS-UNI)	50 cap box 5/16"	1

#### FEATURES

- Resists crushing & removal without key
- Corrosion resistant anodized aluminum
- Integral neoprene O-ring resists oils & sealants
- Torque limiter prevents overtightening

**APPLICATION** • Seals standard Schrader service valves on all central A/C units and mini-splits to help prevent refrigerant leakage • Protects from serious injury or death resulting from the inhalation of dangerous gases

#### RECOMMENDED FOR

- All types of refrigerants

1/4" Thread **Silver**

5/16" Thread **Silver**



### Novent® Pink

R410A, 1/4" thread, key

Code	Description	Qty
86682 (NP-R410)	2 cap blister 1/4"	20
86681 (NP-R410)	10 cap blister 1/4"	10
86683 (NP-R410)	50 cap box 1/4"	1
86684 (NP-R410)	100 pack 1/4"	1
86672 (NPE-R410)	2 cap blister 5/16"	20
86671 (NPE-R410)	10 cap blister 5/16"	5
86673 (NPE-R410)	50 cap box 5/16"	1

#### FEATURES

- Resists crushing & removal without key
- Corrosion resistant anodized aluminum
- Integral neoprene O-ring resists oils & sealants
- Torque limiter prevents overtightening

**APPLICATION** • Seals standard Schrader service valves on all central air conditioning, heat pump units and mini-splits to help prevent refrigerant leakage • Protects from serious injury or death resulting from the inhalation of dangerous gases

#### RECOMMENDED FOR

- R410A

1/4" Thread **Pink**

5/16" Thread **Pink**





## NOVENT® LOCKING REFRIGERANT CAPS

Continued

### Novent® Starter Pack

Code	Description	Qty
86690 (NS-STARTPACK)	(6) UNI caps (1) Multikey	10

#### FEATURES

- Resists crushing & removal without key
- Corrosion resistant anodized aluminum
- Integral neoprene O-ring resists oils & sealants
- Torque limiter prevents overtightening

### Caps & keys

**APPLICATION** • Seals standard Schrader service valves on all central air conditioning, heat pump units and mini-splits to help prevent refrigerant leakage • Protects from serious injury or death resulting from the inhalation of dangerous gases

#### RECOMMENDED FOR

- All types of refrigerants; Color coded caps and embossed ID prevent refrigerant gas mixing

1/4" Thread Silver  
(universal)



### Novent® Keys

Code	Description	Qty
86698 (NVMULTIKEY)	Multikey blister	20
86688 (NP-R410SDT)	Pink screwdriver	20
86660 (NG-R22-SDT)	Uni & green screwdriver	20

#### FEATURES

- Selection of installation tools available
- Corrosion resistant



### Special installer & removal key

**APPLICATION** • Patented Novent Caps are precision machined from high grade brass surrounded by a protective aluminum shroud and can only be installed and removed with a special tool

#### RECOMMENDED FOR

- All types of refrigerants

